26th July 1957]

Minor Engineering Industries

* 257. *Q.*—SRI M. KALYANASUNDARAM (on behalf of Sri N. K. Palanisami) : Will the Hon. the Minister for Industries be pleased to state whether the Government have taken any steps to implement the recommendations of the Tripartite Committee constituted in 1954 for Minor Engineering Industries?

THE HON. SRI R. VENKATARAMAN : A note on the steps taken by Government to implement the recommendations of the Tripartite Committee constituted in 1954 for Minor Engineering Industries is placed on the table[a] of the House.

SRI S. PAKKIRISAMI PILLAI : எந்தெந்த சிபார்சுகள் மீது அரசாங்கத்தார் ஒத்துக்கொண்டு இருக்கிறார்களோ அந்த சிபார்சுகளை அமுலுக்குக் கொண்டுவரும்படியான ரீதியில் அரசாங்கத்தார் பாக்டரி இன்ஸ்பெக்டர்களையும் லேபர் ஆபீஸர்களையும் அந்தந்த தொழிற்சாலைகளுக்கு அனுப்பி அவர்கள் அதை அமுல் செய்யும்படி ஆர்டர் போடுவார்களா ?

THE HON. SRI R. VENKATARAMAN : கனம் அங்கத்தினர் அவர்கள் எதைக்குறித்து என்று சொன்னால் தேவலை. ஏனென்றால் மைனர் என்ஜினியரிங் இன்டஸ்ட்ரீஸ் கமிட்டியானது சுமார் 75-க்கு மேல் சிபார்சு செய்திருக்கிறது. சில, தொழில் கல்வி, தொழில் பயிற்சி போன்றவைகள். அதை எல்லாம் சர்க்கார் அமுலில் கொண்டுவர ஏற்பாடு செய்திருக்கிறது. சில கூலி சம்பந்தப்பட்டவைகளை அந்த ரெக்கமென்டேஷனையொட்டி அதிகாரிகளை கொண்டு சமரஸம் செய்து தீர்க்க சர்க்கார் கூறிக்கொள்ளமுடியும்.

Mordhana Dam

* 258 *Q.*—SRI V. K. KOTHANDARAMAN : Will the Hon. the Minister for Public Works be pleased to state— 9-10 a.m.

(*a*) whether there is any proposal to construct a dam named Mordhana across the Gowntinya Mahanadhi river in Gudiyatham taluk of North Arcot district;

(*b*) if so, the details thereof;

(*c*) when the work will be taken up; and

(*d*) whether it will be included in the schemes for the Second Five-Year Plan?

THE HON. SRI P. KAKKAN : (*a*) to (*d*) A scheme at an estimated cost of Rs. 75 lakhs for the construction of a reservoir across the river Kavundinya at Mordhana in Gudiyatham taluk of North Arcot district has been considered recently. The scheme, when executed, would submerge about 500 acres of dry land, 100 acres of double crop wet land and two villages, while it would irrigate an extent of 6,000 acres of which about 5,400 acres would be new. Further it would cause hardship to the existing ayacut under the Palar system which is already over burdened beyond its capacity. There is also a decision that no new irrigation works and no extension of existing works should be executed in Palar Basin. For the above reasons the scheme has not been found to be feasible for execution and therefore it has been dropped.

---

[a] Printed as Appendix I on pages_535 infra.